

Receptors
Thermoreceptors
send signals to the
control center.

Effectors
Skin blood vessels
dilate (increasing skin
blood flow), and sweat
glands secrete.

Stimulus
Body temperature
rises above normal.

Response Body heat is lost to surroundings, temperature drops toward normal.

Normal body temperature 37°C (98.6°F)

Stimulus Body temperature drops below normal.

Receptors
Thermoreceptors
send signals to the
control center.

Response
Body heat is conserved,
temperature rises toward normal.

Effectors
Skin blood vessels
constrict (decreasing
skin blood flow), and
sweat glands remain
inactive.

Effectors
Muscle
activity
generates
body heat

Control center
The brain detects the deviation from the set point and signals effector organs.

If body temperature continues to drop, control center signals muscles to contract involuntarily.

Figure 1.7

A homeostatic mechanism regulates body temperature.

mechanism increases the strength of uterine contractions during childbirth, helping to bring the new individual into the world.

Positive feedback mechanisms usually produce unstable conditions, which might seem incompatible with homeostasis. However, the examples of positive feedback associated with normal health have very specific functions and are short-lived.

Practice



- 10. What requirements of organisms does the external environment provide?
- 11. Why is homeostasis important to survival?
- 12. Describe two homeostatic mechanisms.

1.6 organization of the human body

The human organism is a complex structure composed of many parts. Its major features include several body cavities, layers of membranes within these cavities, and a variety of organ systems.

Body Cavities

The human organism can be divided into an axial (ak'se-al) portion, which includes the head, neck, and trunk, and an appendicular (ap"en-dik'u-lar) portion, which includes the upper and lower limbs. Within the axial portion are the cranial cavity, which houses the brain; the vertebral canal, which contains the spinal cord within the sections of the backbone (vertebrae); the thoracic (tho-ras'ik) cavity; and the abdominopelvic (ab-dom"i-no-pel'vik) cavity. The organs within these last two cavities are called viscera (vis'er-ah) (fig. 1.8a).

A broad, thin skeletal (voluntary) muscle called the **diaphragm** separates the thoracic cavity from the abdominopelvic cavity. The thoracic cavity wall is composed of skin, skeletal muscles, and various bones.


A region called the **mediastinum** (me"de-as-ti'num) separates the thoracic cavity into two compartments, which contain the right and left lungs. The remaining thoracic viscera—heart, esophagus, trachea, and thymus—are located within the mediastinum (fig. 1.8b).

The abdominopelvic cavity, which includes an upper abdominal portion and a lower pelvic portion, extends from the diaphragm to the floor of the pelvis. Its wall consists primarily of skin, skeletal muscles, and bones. The viscera within the **abdominal cavity** include the stomach, liver, spleen, gallbladder, kidneys, and most of the small and large intestines.

The **pelvic cavity** is the portion of the abdominopelvic cavity enclosed by the hip bones (see chapter 7, p. 158). It contains the terminal portion of the large intestine, the urinary bladder, and the internal reproductive organs.

Smaller cavities within the head include (fig. 1.9):

- 1. Oral cavity, containing the teeth and tongue.
- 2. Nasal cavity, located within the nose and divided into right and left portions by a nasal septum.






Figure 1.8 APIR Major body cavities. (a) Lateral view. (b) Anterior view.




Figure 1.9

The cavities within the head include the cranial, oral, nasal, orbital, and middle ear cavities, as well as several sinuses. (Not all of the sinuses are shown.)

Several air-filled *sinuses* connect to the nasal cavity (see chapter 7, pp. 144–148). These include the frontal and sphenoidal sinuses shown in figure 1.9.

- 3. **Orbital cavities**, containing the eyes and associated skeletal muscles and nerves.
- 4. **Middle ear cavities**, containing the middle ear bones.

Thoracic and Abdominopelvic Membranes

The walls of the right and left thoracic compartments, which contain the lungs, are lined with a membrane called the *parietal pleura* (fig. 1.10). A similar membrane, called the *visceral pleura*, covers each lung. (Note: **Parietal** [pah-ri'ĕ-tal] refers to the membrane attached to the wall of a cavity; **visceral** [vis'er-al] refers to the membrane that is deeper—toward the interior—and covers an internal organ, such as a lung.)

The parietal and visceral **pleural membranes** (ploo'ral mem'brānz) are separated by a thin film of watery fluid (serous fluid), which they secrete. While no actual space normally exists between these membranes, the potential space between them is called the *pleural cavity* (see figs. 1.8b and 1.10).

The heart, which is located in the broadest portion of the mediastinum, is surrounded by **pericardial** (per"ĭ-kar'de-al) **membranes.** A thin *visceral pericardium* covers the heart's surface and is separated from a thicker *parietal pericardium* by a small volume of fluid. The *pericardial cavity* (see figs. 1.8b and 1.10) is the potential space between these membranes.

In the abdominopelvic cavity, the lining membranes are called **peritoneal** (per"ĭ-to-ne'al) **membranes.** A parietal peritoneum lines the wall, and a visceral peritoneum covers each organ in the abdominal cavity (fig. 1.11). The peritoneal cavity is the potential space between these membranes.

Practice







- 13. What does viscera mean?
- 14. Which organ occupies the cranial cavity? the vertebral canal?
- 15. Name the cavities of the head.
- Describe the membranes associated with the thoracic and abdominopelvic cavities.




Figure 1.10 APIR

A transverse section through the thorax reveals the serous membranes associated with the heart and lungs (superior view).




Figure 1.11 APIR

Transverse section through the abdomen (superior view).

Organ Systems

The human organism consists of several organ systems. Each system includes a set of interrelated organs that work together, allowing each system to provide specialized functions that contribute to homeostasis (fig. 1.12). As you read about each system, you may want to consult the illustrations of the human torso in the Reference Plates (see pp. 23–29) and locate some of the organs described.

Body Covering

Organs of the **integumentary** (in-teg-u-men'tar-e) **system** (see chapter 6) include the skin and various accessory organs, such as the hair, nails, sweat glands, and sebaceous glands. These parts protect underlying tissues, help regulate body temperature, house a variety of sensory receptors, and synthesize certain products.

Support and Movement

The organs of the skeletal and muscular systems (see chapters 7 and 8) support and move body parts. The **skeletal** (skel'ĕ-tal) **system** consists of bones, as well as ligaments and cartilages that bind bones together. These parts provide frameworks and protective shields for softer tissues, are attachments for muscles, and act with muscles when body parts move. Tissues within bones also produce blood cells and store inorganic salts.

Muscles are the organs of the **muscular** (mus'kular) **system.** By contracting and pulling their ends closer together, muscles provide forces that move body parts. They also maintain posture and are the main source of body heat.

Integration and Coordination

For the body to act as a unit, its parts must be integrated and coordinated. The nervous and endocrine systems control and adjust various organ functions, thus helping to maintain homeostasis.

The **nervous** (ner'vus) **system** (see chapter 9) consists of the brain, the spinal cord, nerves, and sense organs (see chapter 10). The cells of the nervous system communicate with each other and with muscles and glands using chemical signals called *neurotransmitters*. Each neurotransmitter exerts a relatively short-term effect on its target. Some nerve cells are specialized sensory receptors that detect changes inside and outside the body. Other nerve cells receive information from these sensory receptors and interpret and respond to that information. Still other nerve cells extend from the brain or spinal cord to muscles or glands, stimulating them to contract or to secrete products.

The **endocrine** (en'do-krin) **system** (see chapter 11) includes all the glands that secrete chemical messengers called *hormones*. The hormones, in turn, move

away from the glands in body fluids, such as blood or tissue fluid (fluid from the spaces within tissues). A particular hormone affects only a particular group of cells, called its *target cells*. A hormone alters the metabolism of its target cells. Compared to nerve impulses, hormonal effects occur over a relatively longer time period. Organs of the endocrine system include the hypothalamus of the brain; the pituitary, thyroid, parathyroid, and adrenal glands; and the pancreas, ovaries, testes, pineal gland, and thymus.

Transport

Two organ systems transport substances throughout the internal environment. The **cardiovascular** (kahr"de-ovas'ku-lur) **system** (see chapters 12 and 13) includes the heart, arteries, veins, capillaries, and blood. The heart is a muscular pump that helps force blood through the blood vessels. Blood transports gases, nutrients, hormones, and wastes. It carries oxygen from the lungs and nutrients from the digestive organs to all body cells, where these biochemicals are used in metabolic processes. Blood also transports hormones and carries wastes from body cells to the excretory organs, where the wastes are removed from the blood and released to the outside.

The **lymphatic** (lim-fat'ik) **system** (see chapter 14) is closely related to the cardiovascular **system**. It is composed of the lymphatic vessels, lymph nodes, thymus, spleen, and a fluid called *lymph*. This system transports some of the tissue fluid back to the bloodstream and carries certain fatty substances away from the digestive organs and into the bloodstream. Cells of the lymphatic system are called lymphocytes, and they defend the body against infections by removing disease-causing microorganisms and viruses from tissue fluid.

Absorption and Excretion

Organs in several systems absorb nutrients and oxygen and excrete various wastes. For example, the organs of the **digestive** (di-jest'iv) **system** (see chapter 15) receive foods from the outside. Then they break down food molecules into simpler forms that can pass through cell membranes and be absorbed. Materials that are not absorbed are transported back to the outside and eliminated. Certain digestive organs also produce hormones and thus function as parts of the endocrine system. The digestive system includes the mouth, tongue, teeth, salivary glands, pharynx, esophagus, stomach, liver, gall-bladder, pancreas, small intestine, and large intestine. Chapter 15 also discusses nutrition.

The organs of the **respiratory** (re-spi'rah-to're) **system** (see chapter 16) move air in and out and exchange gases between the blood and the air. More specifically, oxygen passes from the air within the lungs into the blood, and carbon dioxide leaves the blood and enters the air. The nasal cavity, pharynx, larynx, trachea, bronchi, and lungs are parts of this system.




Figure 1.12 APIR
The organ systems in humans interact, maintaining homeostasis.

The **urinary** (u'rĭ-ner"e) **system** (see chapter 17) consists of the kidneys, ureters, urinary bladder, and urethra. The kidneys remove wastes from blood and help maintain the body's water and salt (electrolyte) concentrations. The product of these activities is urine. Other portions of the urinary system store urine and transport it outside the body. Chapter 18 discusses the urinary system's role in maintaining water and electrolyte concentrations and the acidity of the internal environment.

Reproduction

Reproduction is the process of producing offspring (progeny). Cells reproduce when they divide and give rise to new cells. However, the **reproductive** (re"produk'tiv) **system** of an organism produces whole new organisms like itself (see chapter 19).

The male reproductive system includes the scrotum, testes, epididymides, ductus deferentia, seminal vesicles, prostate gland, bulbourethral glands, penis, and urethra. These parts produce and maintain sperm cells (spermatozoa). Components of the male reproductive system also transfer sperm cells into the female reproductive tract.

The female reproductive system consists of the ovaries, uterine tubes, uterus, vagina, clitoris, and vulva. These organs produce and maintain the female sex cells (egg cells, or oocytes), transport the female sex cells within the female reproductive system, and can receive the male sex cells (sperm cells) for the possibility of fertilizing an egg. The female reproductive system also supports development of embryos, carries fetuses to term, and functions in the birth process.

Practice



- 17. Name and list the organs of the major organ systems.
- 18. Describe the general functions of each organ system.

1.7 ANATOMICAL TERMINOLOGY

To communicate effectively with one another, researchers and clinicians have developed a set of precise terms to describe anatomy. These terms concern the relative positions of body parts, relate to imaginary planes along which cuts may be made, and describe body regions.

Use of such terms assumes that the body is in the **anatomical position.** This means that the body is standing erect, face forward, with the upper limbs at the sides and the palms forward. Note that the terms "right" and "left" refer to the right and left of the body in anatomical position.

Relative Positions

Terms of relative position describe the location of on body part with respect to another. They include the folowing (many of these terms are illustrated in fig. 1.13):

- 1. **Superior** means that a body part is above another part. (The thoracic cavity is superior to the abdominopelvic cavity.)
- **2. Inferior** means that a body part is below another body part. (The neck is inferior to the head.)
- **3. Anterior** (or *ventral*) means toward the front. (The eyes are anterior to the brain.)
- 4. **Posterior** (or *dorsal*) means toward the back. (The pharynx is posterior to the oral cavity.)
- 5. **Medial** refers to an imaginary midline dividing the body into equal right and left halves. A body part is medial if it is closer to the midline than another part. (The nose is medial to the eyes.)
- 6. Lateral means toward the side, away from the imaginary midline. (The ears are lateral to the eyes.)




Figure 1.13 APIR

Relative positional terms describe a body part's location with respect to other body parts.

Q: Which is more lateral, the hand or the hip?

Answer can be found in Appendix E on page 568.

- 7. **Bilateral** refers to paired structures, one of which is on each side. (The lungs are bilateral.)
- 8. **Ipsilateral** refers to structures on the same side. (The right lung and the right kidney are ipsilateral.)
- 9. **Contralateral** refers to structures on the opposite side. (A patient with a fractured bone in the right leg would have to bear weight on the contralateral—in this case, left—lower limb.)
- 10. **Proximal** describes a body part that is closer to a point of attachment to the trunk than another body part. (The elbow is proximal to the wrist.) *Proximal* may also refer to another reference point, such as the proximal tubules, which are closer to the filtering structures in the kidney.
- 11. **Distal** is the opposite of proximal. It means that a particular body part is farther from a point of attachment to the trunk than another body part is. (The fingers are distal to the wrist.) Distal may also refer to another reference point, such as decreased blood flow distal to occlusion of a coronary artery.
- 12. **Superficial** means situated near the surface. (The epidermis is the superficial layer of the skin.) *Peripheral* also means outward or near the surface. It describes the location of certain blood vessels and nerves. (The nerves that branch from the brain and spinal cord are peripheral nerves.)

13. Deep describes parts that are more internal than superficial parts. (The dermis is the deep layer of the skin.)

Body Sections

Observing the relative locations and organization of internal body parts requires cutting or sectioning the body along various planes (fig. 1.14). The following terms describe such planes and the sections that result:

- 1. **Sagittal** refers to a lengthwise plane that divides the body into right and left portions. If a sagittal plane passes along the midline and thus divides the body into equal parts, it is called *median* (midsagittal). A sagittal section lateral to midline is called *parasagittal*.
- 2. **Transverse** (or *horizontal*) refers to a plane that divides the body into superior and inferior portions.
- 3. **Frontal** (or *coronal*) refers to a plane that divides the body into anterior and posterior portions.

Sometimes, a cylindrical organ such as a long bone is sectioned. In this case, a cut across the structure is called a *cross section*, an angular cut is an *oblique section*, and a lengthwise cut is a *longitudinal section* (fig. 1.15). Clinical Application 1.1 discusses using computerized tomography to view body sections.




Figure 1.14 APIR

Observation of internal parts requires sectioning the body along various planes.



A section along a transverse plane

Clinical Application 1.1



Computerized Tomography

Radiologists use a procedure called *computerized tomography*, or CT scanning, to

visualize internal organ sections (fig. 1A). In this procedure, an X-ray-emitting device moves around the body region being examined. At the same time, an X-ray detector moves in the opposite direction on the other side. As the devices move, an X-ray beam passes through the body from hundreds of different angles. Since tissues and organs of varying composition within the body absorb X rays differently, the amount of X ray reaching the detector varies from position to position. A computer records the measurements from the X-ray detector, and combines them mathematically to create a sectional image of the internal body parts that can be viewed on a monitor.






Figure 1A

Falsely colored CT (computerized tomography) scans of (a) the head and (b) the abdomen. *Note:* These are not shown in correct relative size.




Figure 1.15
Cylindrical parts may be cut in (a) cross section, (b) oblique section, or (c) longitudinal section.

Body Regions

A number of terms designate body regions. The abdominal area, for example, is subdivided into the following nine regions, as figure 1.16a shows:

- 1. The **epigastric region** is the upper middle portion.
- 2. The **right** and **left hypochondriac regions** lie on each side of the epigastric region.
- 3. The **umbilical region** is the middle portion.
- 4. The **right** and **left lumbar regions** lie on each side of the umbilical region.
- 5. The **hypogastric region** is the lower middle portion.
- 6. The **right** and **left iliac regions** (right and left inguinal regions) lie on each side of the hypogastric region.


The abdominal area is also often subdivided into four quadrants, as figure 1.16b shows.

The following adjectives are commonly used to refer to various body regions, some of which are illustrated in figure 1.17:

abdominal (ab-dom'ĭ-nal) The region between the thorax and pelvis.

acromial (ah-kro'me-al) The point of the shoulder. **antebrachial** (an"te-bra'ke-al) The forearm. **antecubital** (an"te-ku'bĭ-tal) The space in front of the elbow.

axillary (ak'sĭ-ler"e) The armpit. brachial (bra'ke-al) The arm. buccal (buk'al) The cheek. carpal (kar'pal) The wrist. celiac (se'le-ak) The abdomen.






Figure 1.16 AP R

The abdominal area is commonly subdivided in two ways: (a) into nine regions and (b) into four quadrants.

cephalic (sĕ-fal'ik) The head. cervical (ser'vĭ-kal) The neck. costal (kos'tal) The ribs. coxal (kok'sal) The hip. crural (kroor'al) The leg. cubital (ku'bĭ-tal) The elbow. digital (dij'i-tal) The finger or toe. dorsal (dor'sal) The back. femoral (fem'or-al) The thigh. frontal (frun'tal) The forehead. genital (jen'i-tal) The reproductive organs. **gluteal** (gloo'te-al) The buttocks. inguinal (ing'gwĭ-nal) The groin—the depressed area of the abdominal wall near the thigh. lumbar (lum'bar) The loin—the region of the lower

mammary (mam'er-e) The breast.

mental (men'tal) The chin.

nasal (na'zal) The nose.

occipital (ok-sip'ĭ-tal) The lower posterior region of the head.

oral (o'ral) The mouth.

orbital (or'bi-tal) The bony socket of the eye.

back between the ribs and the pelvis.

palmar (pahl'mar) The palm of the hand.

patellar (pah-tel'ar) The front of the knee.

pectoral (pek'tor-al) The chest.

pedal (ped'al) The foot.

pelvic (pel'vik) The pelvis.

perineal (per"i-ne'al) The perineum—the region between the anus and the external reproductive organs.

plantar (plan'tar) The sole of the foot.

popliteal (pop"li-te'al) The area behind the knee.

sacral (sa'kral) The posterior region between the hip

sternal (ster'nal) The middle of the thorax, anteriorly.

sural (su'ral) The calf of the leg.

tarsal (tahr'sal) The instep of the foot.

umbilical (um-bil'ĭ-kal) The navel.

vertebral (ver'te-bral) The spinal column.

Practice







- 19. Describe the anatomical position.
- 20. Using the appropriate terms, describe the relative positions of several body parts.
- 21. Describe the three types of body sections.
- 22. Name the nine regions of the abdomen.

Some Medical and Applied Sciences

cardiology (kar"de-ol'o-je) Branch of medical science dealing with the heart and heart diseases.

cytology (si-tol'o-je) Study of the structure, function, and abnormalities of cells. Cytology and histology are subdivisions of microscopic anatomy.

dermatology (der"mah-tol'o-je) Study of the skin and its

endocrinology (en"do-krĭ-nol'o-je) Study of hormones, hormone-secreting glands, and their

epidemiology (ep"i-de"me-ol'o-je) Study of the factors determining the distribution and frequency




Figure 1.17Some terms used to describe body regions. (a) Anterior regions. (b) Posterior regions.

of health-related conditions in a defined human , population.

gastroenterology (gas"tro-en"ter-ol'o-je) Study of the stomach and intestines and their diseases.

geriatrics (jer"e-at'riks) Branch of medicine dealing with older individuals and their medical problems.

gerontology (jer"on-tol'o-je) Study of the aging process.

gynecology (gi"nĕ-kol'o-je) Study of the female reproductive system and its diseases.

hematology (hēm"ah-tol'o-je) Study of the blood and blood diseases.

histology (his-tol'o-je) Study of the structure and function of tissues. Histology and cytology are subdivisions of microscopic anatomy.

immunology (im"u-nol'o-je) Study of the body's resistance to infectious disease.

neonatology (ne"o-na-tol'o-je) Study of newborns and the treatment of their disorders.

nephrology (nĕ-frol'o-je) Study of the structure, function, and diseases of the kidneys.

neurology (nu-rol'o-je) Study of the nervous system and its disorders.

obstetrics (ob-stet'riks) Branch of medicine dealing with pregnancy and childbirth.

oncology (ong-kol'o-je) Study of cancers.

ophthalmology (of"thal-mol'o-je) Study of the eye and eye diseases.

orthopedics (or"tho-pe'diks) Branch of medicine dealing with the muscular and skeletal systems and their problems.

- **otolaryngology** (o"to-lar"in-gol'o-je) Study of the ear, throat, and larynx, and their diseases.
- **pathology** (pah-thol'o-je) Study of structural and functional changes that disease causes.
- **pediatrics** (pe"de-at'riks) Branch of medicine dealing with children and their diseases.
- **pharmacology** (fahr"mah-kol'o-je) Study of drugs and their uses in the treatment of disease.
- **podiatry** (po-di'ah-tre) Study of the care and treatment of feet.

- **psychiatry** (si-ki'ah-tre) Branch of medicine dealing with the mind and its disorders.
- **radiology** (ra"de-ol'o-je) Study of X rays and radioactive substances and their uses in the diagnosis and treatment of diseases.
- **toxicology** (tok"sĭ-kol'o-je) Study of poisonous substances and their effects upon body parts.
- **urology** (u-rol'o-je) Branch of medicine dealing with the urinary system, apart from the kidneys (nephrology) and the male reproductive system, and their diseases.

Summary Outline

1.1 Introduction (p. 2)

- 1. Early interest in the human body probably developed as people became concerned about injuries and illnesses.
- 2. Primitive doctors began to learn how certain herbs and potions affected body functions.
- 3. The belief that humans could understand forces that caused natural events led to the development of modern science.
- 4. A set of terms originating from Greek and Latin words is the basis for the language of anatomy and physiology.

1.2 Anatomy and Physiology (p. 3)

- 1. Anatomy describes the form and organization of body parts.
- 2. Physiology considers the functions of anatomical parts.
- 3. The function of a body part depends on the way it is constructed.

1.3 Levels of Organization (p. 3)

The body is composed of parts with different levels of complexity.

- 1. Matter is composed of atoms.
- 2. Atoms join to form molecules.
- 3. Organelles are built of groups of large molecules (macromolecules).
- 4. Cells, which contain organelles, are the basic units of structure and function that form the body.
- 5. Cells are organized into tissues.
- 6. Tissues are organized into organs.
- 7. Organs that function closely together compose organ systems.
- 8. Organ systems constitute the organism.
- 9. Beginning at the atomic level, these levels of organization differ in complexity from one level to the next.

1.4 Characteristics of Life (p. 4)

Characteristics of life are traits all organisms share.

- These characteristics include:
 - a. Movement—changing body position or moving internal parts.
 - Responsiveness—sensing and reacting to internal or external changes.
 - c. Growth—increasing size without changing shape.
 - d. Reproduction—producing offspring.
 - e. Respiration—obtaining oxygen, using oxygen to release energy from foods, and removing gaseous wastes.
 - f. Digestion—breaking down food substances into component nutrients that the intestine can absorb.
 - g. Absorption—moving substances through membranes and into body fluids.

- h. Circulation—moving substances through the body in body fluids.
- Assimilation—changing substances into chemically different forms.
- j. Excretion—removing body wastes.
- 2. Acquisition and use of energy constitute metabolism.

1.5 Maintenance of Life (p. 5)

The structures and functions of body parts maintain the life of the organism.

- 1. Requirements of organisms
 - a. Water is used in many metabolic processes, provides the environment for metabolic reactions, and transports substances.
 - b. Food supplies energy, raw materials for building new living matter, and chemicals necessary in vital reactions.
 - Oxygen releases energy from food materials. This energy drives metabolic reactions.
 - d. Heat is a product of metabolic reactions and helps govern the rates of these reactions.
 - e. Pressure is an application of force to something. In humans, atmospheric and hydrostatic pressures help breathing and blood movements, respectively.
- 2. Homeostasis
 - a. If an organism is to survive, the conditions within its body fluids must remain relatively stable.
 - b. Maintenance of a stable internal environment is called *homeostasis*.
 - c. Homeostatic mechanisms help regulate body temperature and blood pressure.
 - d. Homeostatic mechanisms act through negative feedback.

1.6 Organization of the Human Body (p. 8)

- 1. Body cavities
 - a. The axial portion of the body includes the cranial cavity, the vertebral canal, the thoracic cavity, and the abdominopelvic cavity.
 - b. The diaphragm separates the thoracic and abdominopelvic cavities.
 - c. The organs in a body cavity are called viscera.
 - d. The mediastinum separates the thoracic cavity into right and left compartments.
 - e. Body cavities in the head include the oral, nasal, orbital, and middle ear cavities.
- 2. Thoracic and abdominopelvic membranes
 - a. Thoracic membranes
 - (1) Pleural membranes line the thoracic cavity (parietal pleura) and cover each lung (visceral pleura).

- (2) Pericardial membranes surround the heart (parietal pericardium) and cover its surface (visceral pericardium).
- (3) The pleural and pericardial cavities are the potential spaces between the respective parietal and visceral membranes.
- b. Abdominopelvic membranes
 - Peritoneal membranes line the abdominopelvic cavity (parietal peritoneum) and cover the organs inside (visceral peritoneum).
 - (2) The peritoneal cavity is the potential space between the parietal and visceral membranes.
- 3. Organ systems

The human organism consists of several organ systems. Each system includes a set of interrelated organs.

- a. Body covering
 - (1) The integumentary system includes the skin, hair, nails, sweat glands, and sebaceous glands.
 - (2) It protects underlying tissues, regulates body temperature, houses sensory receptors, and synthesizes various substances.
- b. Support and movement
 - (1) Skeletal system
 - (a) The skeletal system is composed of bones, as well as cartilages and ligaments that bind bones together.
 - (b) It provides a framework, protective shields, and attachments for muscles. It also produces blood cells and stores inorganic salts.
 - (2) Muscular system
 - (a) The muscular system includes the muscles of the body.
 - (b) It moves body parts, maintains posture, and produces body heat.
- c. Integration and coordination
 - (1) Nervous system
 - (a) The nervous system consists of the brain, spinal cord, nerves, and sense organs.
 - (b) It receives impulses from sensory parts, interprets these impulses, and acts on them by stimulating muscles or glands to respond.
 - (2) Endocrine system
 - (a) The endocrine system consists of glands that secrete hormones.
 - (b) Hormones help regulate metabolism.
 - (c) This system includes the hypothalamus of the brain and the pituitary, thyroid, parathyroid, and adrenal glands, as well as the pancreas, ovaries, testes, pineal gland, and thymus.
- d. Transport
 - (1) Cardiovascular system
 - (a) The cardiovascular system includes the heart, which pumps blood, and the blood vessels, which carry blood to and from body parts.

- (b) Blood transports oxygen, nutrients, hormones, and wastes.
- (2) Lymphatic system
 - (a) The lymphatic system is composed of lymphatic vessels, lymph fluid, lymph nodes, thymus, and spleen.
 - (b) It transports lymph fluid from tissues to the bloodstream, carries certain fatty substances away from the digestive organs, and aids in defending the body against diseasecausing agents.
- e. Absorption and excretion
 - (1) Digestive system
 - (a) The digestive system receives foods, breaks down food molecules into nutrients that can pass through cell membranes, and eliminates materials that are not absorbed.
 - (b) It includes the mouth, tongue, teeth, salivary glands, pharynx, esophagus, stomach, liver, gallbladder, pancreas, small intestine, and large intestine.
 - (c) Some digestive organs produce hormones.
 - (2) Respiratory system
 - (a) The respiratory system takes in and sends out air and exchanges gases between the air and blood.
 - (b) It includes the nasal cavity, pharynx, larynx, trachea, bronchi, and lungs.
- (3) Urinary system
 - (a) The urinary system includes the kidneys, ureters, urinary bladder, and urethra.
 - (b) It filters wastes from the blood and helps maintain water and electrolyte concentrations and the acidity of the internal environment.
- f. Reproduction
 - (1) The reproductive systems produce new organisms.
 - (2) The male reproductive system includes the scrotum, testes, epididymides, ductus deferentia, seminal vesicles, prostate gland, bulbourethral glands, urethra, and penis, which produce, maintain, and transport male sex cells (sperm cells).
 - (3) The female reproductive system includes the ovaries, uterine tubes, uterus, vagina, clitoris, and vulva, which produce, maintain, and transport female sex cells (oocytes).

1.7 Anatomical Terminology (p. 14)

Terms with precise meanings help investigators communicate effectively.

- Relative positions
 These terms describe the location of one part with respect to another part.
- Body sections
 Body sections are planes along which the body may be cut to observe the relative locations and organization of internal parts.
- Body regions
 Special terms designate various body regions.

Chapter Assessments

1.1 Introduction

1. Briefly describe the early discoveries that led to our understanding of the human body. (p. 2)

1.2 Anatomy and Physiology

2. Explain the difference between anatomy and physiology. (p. 3)

Identify relationships between the form and the function of body parts. (p. 3)

1.3 Levels of Organization

4. List the levels of organization within the human body and describe the characteristics of each. (p. 3)

